

DWG. NO.	SYM.	SYM.	DCN NO.	DESCRIPTION	DATE	DRAWN	CHECKED	APP'D	APP'D
SJ016349-E	3		2	6.5 (.256) → 6 (.236)	4.MAR.1982	<i>E. Murano</i>	<i>T. Yajima</i>		
			3	FINISH	26.FEB.1985	<i>Y. N</i>		<i>T. Yajima</i>	

CONTACT, DETAILED (INDIVIDUAL CONTACT)  
PS-SF-C2-1-N: SCALE x10





TABLE 1.

FINISH	
MATING PORTION	OTHER AREA
GOLD (0.1μm MIN.) OVER	GOLD FLASH OVER
NICKEL (1.5μm MIN.)	NICKEL (1.5μm MIN.)

- NOTES
1. APPLICABLE INSERT PIN: 0.64 sq. ±0.05 (.025 ±0.002)
  2. THESE CONTACTS WERE PROVIDED WITH CARRIER, SUCCESSIVE N% AND REELED.
  3. APPLICABLE CRIMP WIRE SIZE  
AWG #28 ~ #24 EQUIVALENT STRANDED WIRE  
INSULATION FINISH DIMENSION 0.7 DIA. ~ 1.2 DIA. (.028 DIA. ~ .047 DIA.)

ITEM	DESCRIPTION	Q'TY	MATERIAL	FINISH	PART NO.
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ON: (INCHES)	DATE 22. JUN. 1981	TITLE		
FRACTIONS	DECIMALS	DRAWN E. MURANO	(PS-SF-C2-1-N) JAE-CONNECTOR.COM		
		CHECKED <i>T. Yajima</i>	031-50828		
		APP'D <i>Y. N</i>	JAE-CONNECTOR.COM		
		APP'D <i>Y. N</i>	Reference: NAKAGAMI CO., AKISHIMA - SHI TOKYO, JAPAN		
			DWG. NO. SJ016349-E		
			SHEET 1 OF 1		

MATERIAL	PHOSPHOR-BRONZE
DATE	22. JUN. 1981
DRAWN	E. MURANO
CHECKED	<i>T. Yajima</i>
APP'D	<i>Y. N</i>
APP'D	<i>Y. N</i>
SCALE	x 2
DWG. SIZE	B
WT.	

NEXT ASS'Y	USED ON	NEXT ASS'Y	FINAL ASS'Y
APPLICATION	Q'TY REQ'D		